

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: Durreshwar Anjum

Timestamp: [year=2009; month=6; day=9; hr=14; min=1; sec=39; ms=762;]

=====

Application No: 10516553 Version No: 2.0

Input Set:

Output Set:

Started: 2009-06-05 10:00:13.413
Finished: 2009-06-05 10:00:14.570
Elapsed: 0 hr(s) 0 min(s) 1 sec(s) 157 ms
Total Warnings: 7
Total Errors: 0
No. of SeqIDs Defined: 7
Actual SeqID Count: 7

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)

<110> Tadaaki Yabubayashi et al

<120> Method for Detecting Biochemical Reactant Biochip

<130> FUJ00682P00820US

<140> 10516553

<141> 2009-06-05

<150> PCT/JP03/06791

<151> 2003-05-29

<160> 7

<210> 1

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA Probe where bound section is formed by
nucleotides at free 5' end and fixed 3' end

<220>

<221> misc_feature

<222> 1..60

<223> "n" represents any nucleotide

<400> 1

ntattttaaaa tnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn ngttttaatn 60

<210> 2

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> DNA Probe where bound section is formed by
nucleotides at free 5' end and fixed 3' end

<220>

<221> misc_feature

<222> 1..60

<223> "n" represents any nucleotide

<400> 2

ntattttaaaa annnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn ngttttaatn 60

<210> 3

<211> 60

<212> RNA

<213> Artificial Sequence

<220>

<223> RNA Probe where sequence of pairing

nucleotides is in the middle of probe RNA

<220>

<221> misc_feature

<222> 1..60

<223> "n" represents any nucleotide

<400> 3

nuauuuuuuuuu aunnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn aaauuuuuuuuu nnnnnnnnaun

60

<210> 4

<211> 60

<212> RNA

<213> Artificial Sequence

<220>

<223> RNA Probe where sequence of pairing

nucleotides is in the middle of probe RNA

<220>

<221> misc_feature

<222> 1..60

<223> "n" represents any nucleotide

<400> 4

nuauuuuuuuuu aunnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn aaauuuuuuuuu nnnnnnnnaun

60

<210> 5

<211> 60

<212> RNA

<213> Artificial Sequence

<220>

<223> RNA Probe where sequence of pairing

nucleotides is in the middle of probe RNA

<220>

<221> misc_feature

<222> 1..60

<223> "n" represents any nucleotide

<400> 5

nnnnnnnuauu uaaaaaunnn nnnnnnnnnnn nnnnnnnnnnn aaauuuuuuuuu nnnnnnnnaun

60

<210> 6

<211> 60

<212> RNA

<213> Artificial Sequence

<220>

<223> RNA Probe where sequence of pairing

nucleotides is in the middle of probe RNA

<220>

<221> misc_feature
 <222> 1..60
 <223> "n" represents any nucleotide

<400> 6
 nnnnnnuauu uaaaaaunnn nnnnnnnnnn nnnnnnnnnn aaauuuuaaaa nnnnnnnnaun 60

<210> 7
 <211> 60
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> RNA Probe where sequence of pairing
 nucleotides is in the middle of probe RNA

<220>
 <221> misc_feature
 <222> 1..60
 <223> "n" represents any nucleotide

<400> 7
 nuauuuuaaaa aunnnnnnnn nnnnnnnnnn nnnnnnnnnn aaauuuuaaaa nnnnnnnnaun 60